



Cu  Art.5002a

**lok dvojni 90°**

|    |  |
|----|--|
| 8  |  |
| 10 |  |
| 12 |  |
| 14 |  |
| 15 |  |
| 16 |  |
| 18 |  |
| 22 |  |
| 28 |  |
| 35 |  |
| 42 |  |
| 54 |  |
| 64 |  |
| 76 |  |
| 89 |  |
|    |  |
|    |  |
|    |  |
|    |  |

Cu  Art.5001a


**lok enojni 90°**

|    |  |
|----|--|
| 8  |  |
| 10 |  |
| 12 |  |
| 14 |  |
| 15 |  |
| 16 |  |
| 18 |  |
| 22 |  |
| 28 |  |
| 35 |  |
| 42 |  |
| 54 |  |
| 64 |  |
| 76 |  |
| 89 |  |
|    |  |
|    |  |
|    |  |
|    |  |

Cu  Art.5086

**lok enojni 90° pod. k**

|    |  |
|----|--|
| 12 |  |
| 15 |  |
| 18 |  |
| 22 |  |
| 28 |  |
|    |  |
|    |  |
|    |  |
|    |  |

Cu  Art.5085

**lok enojni 90° pod. d**

|    |  |
|----|--|
| 12 |  |
| 15 |  |
| 18 |  |
| 22 |  |
| 28 |  |
|    |  |
|    |  |
|    |  |
|    |  |

Cu  Art.5086


**izogibni lok "A"**

|    |  |
|----|--|
| 12 |  |
| 14 |  |
| 15 |  |
| 16 |  |
| 18 |  |
| 22 |  |
| 28 |  |
|    |  |
|    |  |
|    |  |
|    |  |

Cu  Art.5085


**izogibni lok "B"**

|    |  |
|----|--|
| 12 |  |
| 14 |  |
| 15 |  |
| 16 |  |
| 18 |  |
| 22 |  |
| 28 |  |
|    |  |
|    |  |
|    |  |
|    |  |

Cu  Art.5041


**lok dvojni 45°**

|    |  |
|----|--|
| 10 |  |
| 12 |  |
| 14 |  |
| 15 |  |
| 16 |  |
| 18 |  |
| 22 |  |
| 28 |  |
| 35 |  |
| 42 |  |
| 54 |  |
| 64 |  |
| 76 |  |
| 89 |  |
|    |  |
|    |  |
|    |  |
|    |  |

Cu  Art.5040


**lok enojni 45°**

|    |  |
|----|--|
| 10 |  |
| 12 |  |
| 14 |  |
| 15 |  |
| 16 |  |
| 18 |  |
| 22 |  |
| 28 |  |
| 35 |  |
| 42 |  |
| 54 |  |
| 64 |  |
| 76 |  |
| 89 |  |
|    |  |
|    |  |
|    |  |
|    |  |

Cu  Art.5090

**koleno dvojno 90°**


|    |  |
|----|--|
| 8  |  |
| 10 |  |
| 12 |  |
| 14 |  |
| 15 |  |
| 16 |  |
| 18 |  |
| 22 |  |
| 28 |  |
| 35 |  |
| 42 |  |
| 54 |  |
|    |  |
|    |  |
|    |  |
|    |  |


Cu  Art.5092

**koleno enojno 90°**


|    |  |
|----|--|
| 8  |  |
| 10 |  |
| 12 |  |
| 14 |  |
| 15 |  |
| 16 |  |
| 18 |  |
| 22 |  |
| 28 |  |
| 35 |  |
| 42 |  |
| 54 |  |
|    |  |
|    |  |
|    |  |
|    |  |



|                 |  |   |  |          |  |
|-----------------|--|---|--|----------|--|
| Cu              |  |  |  | Art.5060 |  |
| <b>lok 180°</b> |  |   |  |          |  |
| 10              |  |   |  |          |  |
| 12              |  |   |  |          |  |
| 14              |  |   |  |          |  |
| 15              |  |   |  |          |  |
| 16              |  |   |  |          |  |
| 18              |  |   |  |          |  |
| 22              |  |   |  |          |  |
| 28              |  |   |  |          |  |
| 35              |  |   |  |          |  |
| 42              |  |   |  |          |  |
| 54              |  |   |  |          |  |


|                |  |   |  |          |  |
|----------------|--|---|--|----------|--|
| Cu             |  |  |  | Art.5301 |  |
| <b>kapa Cu</b> |  |   |  |          |  |
| 10             |  |   |  |          |  |
| 12             |  |   |  |          |  |
| 14             |  |   |  |          |  |
| 15             |  |   |  |          |  |
| 16             |  |   |  |          |  |
| 18             |  |   |  |          |  |
| 22             |  |   |  |          |  |
| 28             |  |   |  |          |  |
| 35             |  |   |  |          |  |
| 42             |  |   |  |          |  |
| 54             |  |   |  |          |  |
| 64             |  |   |  |          |  |
| 89             |  |   |  |          |  |

|                             |  |   |  |  |  |
|-----------------------------|--|---|--|--|--|
| Cu-Ms                       |  |  |  |  |  |
| <b>odzračevalni lok 90°</b> |  |   |  |  |  |
| 15                          |  |   |  |  |  |
| 16                          |  |   |  |  |  |
| 18                          |  |   |  |  |  |
| 22                          |  |   |  |  |  |
| 28                          |  |   |  |  |  |
| 35                          |  |   |  |  |  |

|                |  |   |  |          |  |
|----------------|--|---|--|----------|--|
| Cu             |  |  |  | Art.5130 |  |
| <b>T - kos</b> |  |   |  |          |  |
| 6              |  |   |  |          |  |
| 8              |  |   |  |          |  |
| 10             |  |   |  |          |  |
| 12             |  |   |  |          |  |
| 14             |  |   |  |          |  |
| 15             |  |   |  |          |  |
| 16             |  |   |  |          |  |
| 18             |  |   |  |          |  |
| 22             |  |   |  |          |  |
| 28             |  |   |  |          |  |
| 35             |  |   |  |          |  |
| 42             |  |   |  |          |  |
| 54             |  |   |  |          |  |
| 64             |  |   |  |          |  |
| 76             |  |   |  |          |  |
| 89             |  |   |  |          |  |


|                      |  |   |  |  |  |
|----------------------|--|---|--|--|--|
| Cu                   |  |  |  |  |  |
| <b>notranja kapa</b> |  |   |  |  |  |
| 54                   |  |   |  |  |  |
| 64                   |  |   |  |  |  |
| 76                   |  |   |  |  |  |
| 89                   |  |   |  |  |  |
| 108                  |  |   |  |  |  |


|                           |  |   |  |  |  |
|---------------------------|--|---|--|--|--|
| Cu-Ms                     |  |  |  |  |  |
| <b>odzračevalni T-kos</b> |  |   |  |  |  |
| 12                        |  |   |  |  |  |
| 15                        |  |   |  |  |  |
| 16                        |  |   |  |  |  |
| 18                        |  |   |  |  |  |
| 22                        |  |   |  |  |  |
| 28                        |  |   |  |  |  |
| 35                        |  |   |  |  |  |

|                          |  |  |  |          |  |
|--------------------------|--|--|--|----------|--|
| Cu                       |  |  |  | Art.5130 |  |
| <b>reducirni T - kos</b> |  |  |  |          |  |
| 8-6-8                    |  |  |  |          |  |
| 10-6-10                  |  |  |  |          |  |
| 12-8-12                  |  |  |  |          |  |
| 12-10-12                 |  |  |  |          |  |
| 12-15-12                 |  |  |  |          |  |
| 14-14-12                 |  |  |  |          |  |
| 15-8-15                  |  |  |  |          |  |
| 15-10-15                 |  |  |  |          |  |
| 15-12-12                 |  |  |  |          |  |
| 15-12-15                 |  |  |  |          |  |
| 15-15-12                 |  |  |  |          |  |
| 15-18-15                 |  |  |  |          |  |
| 15-22-15                 |  |  |  |          |  |
| 16-12-16                 |  |  |  |          |  |
| 16-14-16                 |  |  |  |          |  |
| 18-12-12                 |  |  |  |          |  |
| 18-12-15                 |  |  |  |          |  |
| 18-12-18                 |  |  |  |          |  |
| 18-15-12                 |  |  |  |          |  |
| 18-15-15                 |  |  |  |          |  |
| 18-15-18                 |  |  |  |          |  |
| 18-18-12                 |  |  |  |          |  |
| 18-18-14                 |  |  |  |          |  |
| 18-18-15                 |  |  |  |          |  |
| 18-22-18                 |  |  |  |          |  |
| 22-10-22                 |  |  |  |          |  |
| 22-12-15                 |  |  |  |          |  |
| 22-12-22                 |  |  |  |          |  |
| 22-14-16                 |  |  |  |          |  |
| 22-14-18                 |  |  |  |          |  |
| 22-14-22                 |  |  |  |          |  |
| 22-15-12                 |  |  |  |          |  |
| 22-15-15                 |  |  |  |          |  |
| 22-15-18                 |  |  |  |          |  |
| 22-15-22                 |  |  |  |          |  |
| 22-16-16                 |  |  |  |          |  |
| 22-16-18                 |  |  |  |          |  |
| 22-16-22                 |  |  |  |          |  |
| 22-18-12                 |  |  |  |          |  |
| 22-18-15                 |  |  |  |          |  |


|          |  |                          |  |
|----------|--|--------------------------|--|
|          |  | <b>reducirni T - kos</b> |  |
| 22-18-18 |  |                          |  |
| 22-18-22 |  |                          |  |
| 22-22-14 |  |                          |  |
| 22-22-15 |  |                          |  |
| 22-22-18 |  |                          |  |
| 22-28-15 |  |                          |  |
| 22-28-22 |  |                          |  |
| 28-12-28 |  |                          |  |
| 28-14-28 |  |                          |  |
| 28-15-22 |  |                          |  |
| 28-15-28 |  |                          |  |
| 28-18-15 |  |                          |  |
| 28-18-18 |  |                          |  |
| 28-18-22 |  |                          |  |
| 28-18-28 |  |                          |  |
| 28-22-15 |  |                          |  |
| 28-22-18 |  |                          |  |
| 28-22-22 |  |                          |  |
| 28-22-28 |  |                          |  |
| 28-28-15 |  |                          |  |
| 28-28-18 |  |                          |  |
| 28-28-22 |  |                          |  |
| 28-35-28 |  |                          |  |
| 35-15-35 |  |                          |  |
| 35-18-35 |  |                          |  |
| 35-22-22 |  |                          |  |
| 35-22-28 |  |                          |  |
| 35-22-35 |  |                          |  |
| 35-28-28 |  |                          |  |
| 35-28-35 |  |                          |  |
| 35-35-22 |  |                          |  |
| 35-35-28 |  |                          |  |

| reducirni T - kos |        |         |
|-------------------|--------|---------|
|                   | lotani | vlečeni |
| 42-18-42          |        |         |
| 42-22-42          |        |         |
| 42-28-42          |        |         |
| 42-35-28          |        |         |
| 42-35-35          |        |         |
| 42-35-42          |        |         |
| 42-54-35          |        |         |
| 42-54-42          |        |         |
|                   |        |         |
| 54-15-54          |        |         |
| 54-18-54          |        |         |
| 54-22-42          |        |         |
| 54-22-54          |        |         |
| 54-28-35          |        |         |
| 54-28-54          |        |         |
| 54-35-54          |        |         |
| 54-42-35          |        |         |
| 54-42-54          |        |         |
|                   |        |         |
| 64-28-54          |        |         |
| 64-28-64          |        |         |
| 64-35-64          |        |         |
| 64-42-64          |        |         |
| 64-54-64          |        |         |
|                   |        |         |
| 76-22-76          |        |         |
| 76-28-76          |        |         |
| 76-35-76          |        |         |
| 76-42-54          |        |         |
| 76-42-76          |        |         |
| 76-54-54          |        |         |
| 76-54-76          |        |         |
| 76-64-76          |        |         |
|                   |        |         |
| 89-35-89          |        |         |
| 89-42-89          |        |         |
| 89-54-89          |        |         |
| 89-64-89          |        |         |
| 89-76-89          |        |         |
|                   |        |         |
|                   |        |         |
|                   |        |         |
|                   |        |         |
|                   |        |         |
|                   |        |         |
|                   |        |         |
|                   |        |         |
|                   |        |         |
|                   |        |         |
|                   |        |         |

| Rg                         |  |  | Art.4243g |
|----------------------------|--|---|-----------|
| prehodni kos zunanji navoj |  |   |           |
| 10-1/4"                    |  |   |           |
| 10-3/8"                    |  |   |           |
| 10-1/2"                    |  |   |           |
| 12-1/4"                    |  |   |           |
| 12-3/8"                    |  |   |           |
| 12-1/2"                    |  |   |           |
| 14-3/8"                    |  |   |           |
| 14-1/2"                    |  |   |           |
| 15-3/8"                    |  |   |           |
| 15-1/2"                    |  |   |           |
| 15-3/4"                    |  |   |           |
| 16-1/2"                    |  |   |           |
| 16-3/4"                    |  |   |           |
| 18-1/2"                    |  |   |           |
| 18-3/4"                    |  |   |           |
| 22-1/2"                    |  |   |           |
| 22-3/4"                    |  |   |           |
| 22-1"                      |  |   |           |
| 22-3/4"                    |  |   |           |
| 22-1"                      |  |   |           |
| 28-1/2"                    |  |   |           |
| 28-3/4"                    |  |   |           |
| 28-1"                      |  |   |           |
| 28-1 1/4"                  |  |   |           |
| 35-1"                      |  |   |           |
| 35-1 1/4"                  |  |   |           |
| 35-1 1/2"                  |  |   |           |
| 42-1 1/4"                  |  |   |           |
| 42-1 1/2"                  |  |   |           |
| 42-2"                      |  |   |           |
| 54-1 1/2"                  |  |   |           |
| 54-2"                      |  |   |           |
| 64-2 1/2"                  |  |   |           |
| 76-2 1/2"                  |  |   |           |
| 76-3"                      |  |   |           |
| 89-3"                      |  |   |           |
| 108-4"                     |  |   |           |
|                            |  |   |           |
|                            |  |   |           |
|                            |  |   |           |
|                            |  |   |           |
|                            |  |   |           |
|                            |  |   |           |
|                            |  |   |           |
|                            |  |   |           |
|                            |  |   |           |
|                            |  |   |           |
|                            |  |   |           |
|                            |  |   |           |
|                            |  |   |           |
|                            |  |   |           |

| Rg                          |  |  | Art.4270g |
|-----------------------------|--|---|-----------|
| prehodni kos notranji navoj |  |   |           |
| 10-3/8"                     |  |   |           |
| 10-1/2"                     |  |   |           |
| 12-3/8"                     |  |   |           |
| 12-1/2"                     |  |   |           |
| 14-1/2"                     |  |   |           |
| 15-3/8"                     |  |   |           |
| 15-1/2"                     |  |   |           |
| 15-3/4"                     |  |   |           |
| 16-3/8"                     |  |   |           |
| 16-1/2"                     |  |   |           |
| 16-3/4"                     |  |   |           |
| 18-1/2"                     |  |   |           |
| 18-3/4"                     |  |   |           |
| 22-1/2"                     |  |   |           |
| 22-3/4"                     |  |   |           |
| 22-1"                       |  |   |           |
| 28-3/4"                     |  |   |           |
| 28-1"                       |  |   |           |
| 28-1 1/4"                   |  |   |           |
| 35-3/4"                     |  |   |           |
| 35-1"                       |  |   |           |
| 35-1 1/4"                   |  |   |           |
| 35-1 1/2"                   |  |   |           |
| 42-1 1/4"                   |  |   |           |
| 42-1 1/2"                   |  |   |           |
| 54-2"                       |  |   |           |
| 64-2 1/2"                   |  |   |           |
|                             |  |   |           |
| 15/22a-3/8"                 |  |   |           |
|                             |  |   |           |
|                             |  |   |           |
|                             |  |   |           |
|                             |  |   |           |
|                             |  |   |           |
|                             |  |   |           |
|                             |  |   |           |
|                             |  |   |           |
|                             |  |   |           |
|                             |  |   |           |
|                             |  |   |           |
|                             |  |   |           |
|                             |  |   |           |
|                             |  |   |           |
|                             |  |   |           |


Ms - Cu



**privijalo z ravnim tesnenjem**

|           |  |
|-----------|--|
| 10-1/2"   |  |
| 12-1/2"   |  |
| 12-3/4"   |  |
| 14-1/2"   |  |
| 14-3/4"   |  |
| 15-1/2"   |  |
| 15-3/4"   |  |
| 15-1"     |  |
| 16-1/2"   |  |
| 16-3/4"   |  |
| 16-1"     |  |
| 18-1/2"   |  |
| 18-3/4"   |  |
| 18-1"     |  |
| 22-3/4"   |  |
| 22-1"     |  |
| 22-1 1/4" |  |
| 28-1"     |  |
| 28-1 1/4" |  |
| 35-1 1/4" |  |
| 35-1 1/2" |  |

Ms - Cu



**privijalo z.n.n. ravno tesnenje**

|           |  |
|-----------|--|
| 10-3/8"   |  |
| 10-1/2"   |  |
| 12-3/8"   |  |
| 12-1/2"   |  |
| 12-3/4"   |  |
| 14-3/8"   |  |
| 14-1/2"   |  |
| 14-3/4"   |  |
| 15-3/8"   |  |
| 15-1/2"   |  |
| 15-3/4"   |  |
| 15-1"     |  |
| 16-3/8"   |  |
| 16-1/2"   |  |
| 16-3/4"   |  |
| 18-3/8"   |  |
| 18-1/2"   |  |
| 18-3/4"   |  |
| 18-1"     |  |
| 18-1 1/4" |  |
| 22-1/2"   |  |
| 22-3/4"   |  |
| 22-1"     |  |
| 22-1 1/4" |  |
| 28-3/4"   |  |
| 28-1"     |  |
| 28-1 1/4" |  |
| 35-1"     |  |
| 35-1 1/4" |  |

Rg



Art.4331g

**RG privijalo z.n.n. ravno tesnenje**

|           |  |
|-----------|--|
| 22-3/4"   |  |
| 28-1"     |  |
| 35-1 1/4" |  |
|           |  |
|           |  |
|           |  |
|           |  |
|           |  |
|           |  |
|           |  |
|           |  |
|           |  |
|           |  |

Rg




Art.4341g

**RG privijalo z.n.n. konično tesnenje**

|           |  |
|-----------|--|
| 18-1/2"   |  |
| 18-3/4"   |  |
| 22-1/2"   |  |
| 22-3/4"   |  |
| 28-1"     |  |
| 35-1 1/4" |  |
| 42-1 1/2" |  |
| 54-2"     |  |
|           |  |
|           |  |
|           |  |
|           |  |
|           |  |

Ms - Cu



**privijalo n.n.n. ravno tesnenje**

|         |  |
|---------|--|
| 10-3/8" |  |
| 12-3/8" |  |
| 12-1/2" |  |
| 14-3/8" |  |
| 14-1/2" |  |
| 15-3/8" |  |
| 15-1/2" |  |
| 16-3/8" |  |
| 16-1/2" |  |
| 18-3/8" |  |
| 18-1/2" |  |
| 22-1/2" |  |
| 28-3/4" |  |
|         |  |
|         |  |
|         |  |
|         |  |
|         |  |
|         |  |
|         |  |



**teflonsko tesnilo (-210°C do +260°C)**

|        |  |
|--------|--|
| 1/2"   |  |
| 3/4"   |  |
| 1"     |  |
| 1 1/4" |  |

Rg



Art.4330g

**RG privijalo n.n.n. ravno tesnenje**

|           |  |
|-----------|--|
| 15-1/2"   |  |
| 22-3/4"   |  |
| 28-1"     |  |
| 35-1 1/4" |  |
| 42-1 1/2" |  |
|           |  |
|           |  |
|           |  |
|           |  |
|           |  |
|           |  |

Rg




Art.4340g

**RG privijalo n.n.n. konično tesnenje**

|           |  |
|-----------|--|
| 18-3/4"   |  |
| 22-3/4"   |  |
| 28-1"     |  |
| 35-1 1/4" |  |
| 42-1 1/2" |  |
|           |  |
|           |  |
|           |  |
|           |  |
|           |  |
|           |  |

Rg




Art.4330

**RG privijalo dvojno ravno tesnenje**

|    |  |
|----|--|
| 15 |  |
| 18 |  |
| 22 |  |
| 28 |  |
| 35 |  |
| 42 |  |
| 54 |  |
|    |  |
|    |  |
|    |  |
|    |  |
|    |  |


Rg




Art.4340


**RG privijalo dvojno konično tesnenje**


|    |  |
|----|--|
| 22 |  |
| 28 |  |
| 35 |  |
| 42 |  |
| 54 |  |
|    |  |
|    |  |
|    |  |
|    |  |
|    |  |
|    |  |

|                                   |   |           |
|-----------------------------------|---|-----------|
| Rg                                |  | Art,4092g |
| <b>RG koleno zunanji navoj Cu</b> |   |           |
| 12-1/2"                           |   |           |
| 15-3/8"                           |   |           |
| 15-1/2"                           |   |           |
| 18-1/2"                           |   |           |
| 18-3/4"                           |   |           |
| 22-3/4"                           |   |           |
| 28-1"                             |   |           |


|                                    |   |           |
|------------------------------------|---|-----------|
| Rg                                 |  | Art,4090g |
| <b>RG koleno notranji navoj Cu</b> |   |           |
| 12-3/8"                            |   |           |
| 12-1/2"                            |   |           |
| 15-3/8"                            |   |           |
| 15-1/2"                            |   |           |
| 18-1/2"                            |   |           |
| 18-3/4"                            |   |           |
| 22-1/2"                            |   |           |
| 22-3/4"                            |   |           |


|  |  |
|--|--|
|  |  |
| <b>BrazeTec mehki lot 250g</b>   |  |
| Ø3mm   |  |
| lot Ag   |  |
| <b>paste za mehki lot</b>  |  |
| Soldaflox  |  |
| 100g   |  |
| Degufit 3000   |  |
| 250g   |  |
| čistilna plošča  |  |


|                 |   |           |
|-----------------|---|-----------|
| Rg              |  | Art.4130g |
| <b>RG T-kos</b> |   |           |
| 12-1/2"-12      |   |           |
| 15-3/8"-15      |   |           |
| 15-1/2"-15      |   |           |
| 18-3/8"-18      |   |           |
| 18-1/2"-18      |   |           |
| 22-3/8"-22      |   |           |
| 22-1/2"-22      |   |           |
| 22-3/4"-22      |   |           |
| 28-1/2"-28      |   |           |
| 28-3/4"-28      |   |           |
| 28-1"-28        |   |           |
| 35-1/2"-35      |   |           |

|                    |   |
|--------------------|---|
| Cu - R             |  |
| <b>Cu-Rg T-kos</b> |   |
| 18-3/4"-18         |   |
| 28-3/8"-28         |   |
| 35-3/8"-35         |   |
| 35-3/4"-35         |   |
| 42-1/2"-42         |   |
| 42-3/4"-42         |   |
| 54-1/2"-54         |   |
| 54-3/4"-54         |   |
| 64-1/2"-64         |   |
| 76-1/2"-76         |   |

|  |  |
|--|--|
|  |  |
| <b>BrazeTec trdi lot</b>   |  |
| Silfos 94  |  |
| Silfos 2   |  |
| Silfos 5   |  |
| Silfos 15  |  |
| Braze Tec 3476   |  |
| Braze Tec Comet3476U   |  |
| <b>paste za trdi lot</b>   |  |
| h-pasta  |  |
| 100g   |  |
| h-pasta  |  |
| 1 kg   |  |
| h-prašek   |  |
| 100g   |  |
| h-prašek   |  |
| 1 kg   |  |


|                           |   |           |
|---------------------------|---|-----------|
| Rg                        |  | Art,4472g |
| <b>kotni prehodni kos</b> |   |           |
| 15-1/2"                   |   |           |
| 18-1/2"                   |   |           |
| 18-3/4"                   |   |           |
| 22-3/4"                   |   |           |


|                     |   |          |
|---------------------|---|----------|
| Rg                  |  | Art,4180 |
| <b>križni T-kos</b> |   |          |
| 15                  |   |          |
| 18                  |   |          |
| 22                  |   |          |
| 28                  |   |          |

|                        |   |          |
|------------------------|---|----------|
| Rg                     |  | Art,4976 |
| <b>montažna plošča</b> |   |          |
| 12-1/2"                |   |          |

|  |  |
|--|--|
|  |  |
| <b>BrazeTec zaščitna krpa</b>  |  |
| 500x330mm  |  |



|                            |  |   |  |       |
|----------------------------|--|---|--|-------|
| PP                         |  |  |  | OBS/2 |
| <b>cevno držalo dvojno</b> |  |   |  |       |
| 6                          |  |   |  |       |
| 8                          |  |   |  |       |
| 10                         |  |   |  |       |
| 12                         |  |   |  |       |
| 15                         |  |   |  |       |
| 16                         |  |   |  |       |
| 18                         |  |   |  |       |
| 22                         |  |   |  |       |
| 28                         |  |   |  |       |

|                            |  |   |  |     |
|----------------------------|--|---|--|-----|
| PP                         |  |  |  | OBS |
| <b>cevno držalo enojno</b> |  |   |  |     |
| 8                          |  |   |  |     |
| 10                         |  |   |  |     |
| 12                         |  |   |  |     |
| 15                         |  |   |  |     |
| 16                         |  |   |  |     |
| 18                         |  |   |  |     |
| 22                         |  |   |  |     |
| 28                         |  |   |  |     |
| 35                         |  |   |  |     |


|                                 |  |   |  |  |
|---------------------------------|--|---|--|--|
| PP                              |  |  |  |  |
| <b>podloga za dvojno držalo</b> |  |   |  |  |
| 15                              |  |   |  |  |
| 16                              |  |   |  |  |
| 18                              |  |   |  |  |
| 22                              |  |   |  |  |
| 28                              |  |   |  |  |
| 35                              |  |   |  |  |

|                             |  |   |  |     |
|-----------------------------|--|---|--|-----|
|                             |  |  |  | OMP |
| <b>označevalna ploščica</b> |  |   |  |     |
| 55x36mm                     |  |   |  |     |
| 105x55mm                    |  |   |  |     |


|               |  |   |  |    |
|---------------|--|---|--|----|
| PP            |  |  |  | RB |
| <b>rozeta</b> |  |   |  |    |
| 12            |  |   |  |    |
| 15            |  |   |  |    |
| 16            |  |   |  |    |
| 18            |  |   |  |    |
| 22            |  |   |  |    |
| 28            |  |   |  |    |
| 35            |  |   |  |    |


|                      |  |   |  |     |
|----------------------|--|---|--|-----|
| PP                   |  |  |  | RBS |
| <b>rozeta široka</b> |  |   |  |     |
| 15                   |  | 0,20 €  |  |     |
| 18                   |  | 0,20 €  |  |     |
| 22                   |  | 0,20 €  |  |     |
| 28                   |  | 0,20 €  |  |     |

|                                |  |   |  |       |
|--------------------------------|--|---|--|-------|
| PP                             |  |  |  | RD 50 |
| <b>rozeta raster 50 dvojna</b> |  |   |  |       |
| 15                             |  |   |  |       |
| 16                             |  |   |  |       |
| 18                             |  |   |  |       |


|                                  |  |   |  |     |
|----------------------------------|--|---|--|-----|
| PP                               |  |  |  | REU |
| <b>rozeta univerzalna enojna</b> |  |   |  |     |
| 15 - 22                          |  |   |  |     |


|                                  |  |   |  |     |
|----------------------------------|--|---|--|-----|
| PP                               |  |  |  | RDU |
| <b>rozeta univerzalna dvojna</b> |  |   |  |     |
| 15 - 22                          |  |   |  |     |


|                        |  |  |  |       |
|------------------------|--|--|--|-------|
| PP                     |  |  |  | OBD/V |
| <b>objemka komplet</b> |  |  |  |       |
| 15                     |  |  |  |       |
| 18                     |  |  |  |       |
| 22                     |  |  |  |       |
| 28                     |  |  |  |       |
| 35                     |  |  |  |       |

|                          |  |  |  |     |
|--------------------------|--|--|--|-----|
| PP                       |  |  |  | OBZ |
| <b>plastična objemka</b> |  |  |  |     |
| 15                       |  |  |  |     |
| 18                       |  |  |  |     |
| 22                       |  |  |  |     |
| 28                       |  |  |  |     |
| 35                       |  |  |  |     |

|                     |  |  |  |    |
|---------------------|--|--|--|----|
| PA                  |  |  |  | ZV |
| <b>zidni vložek</b> |  |  |  |    |
| 6                   |  |  |  |    |
| 8                   |  |  |  |    |
| 10                  |  |  |  |    |
| 12                  |  |  |  |    |

|                               |  |  |  |     |
|-------------------------------|--|--|--|-----|
| PA+Fe                         |  |  |  | ZVR |
| <b>zidni vložek z vijakom</b> |  |  |  |     |
| 6                             |  |  |  |     |
| 8                             |  |  |  |     |
| 10                            |  |  |  |     |

|                           |        |   |  |  |
|---------------------------|--------|---|--|--|
| PA                        |        |  |  |  |
| <b>pritrdilna objemka</b> |        |   |  |  |
| OBU 32                    | dvojna |   |  |  |
| OBE 32                    | enojna |   |  |  |

|                      |  |   |  |       |
|----------------------|--|---|--|-------|
| PA                   |  |  |  | OBT/R |
| <b>objemka OBT/R</b> |  |   |  |       |
| OBT/R                |  |   |  |       |

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |